

Ambientes de Desenvolvimento Avançados

<http://www.dei.isep.ipp.pt/~jtavares/ADAV/ADAV.htm>

Aula 3

Engenharia Informática

2005/2006

José António Tavares
jrt@isep.ipp.pt

1



Software baseado em COMPONENTES

Motivação

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

2



O que é um componente?

- **“A software package which offers *service through interfaces*”**
[Peter Herzum and Oliver Sims, “Business Components Factory: A Comprehensive Overview of Component-Based Development for the Enterprise”, John Wiley & Sons, Incorporated, 1999].
- **“A coherent package of software artifacts that can be independently developed and delivered as a unit and that can be composed, unchanged, with other components to build something larger”**
[D.F. D’Souza and A.C. Wills, “Objects, Components, And Frameworks with UML – The Catalysis Approach” Addison-Wesley, 1998].
- **“A component is a unit of composition with contractually specified interfaces and *explicit context dependencies* only. A software component can be deployed independently and is subject to composition by third parties.”**
[C. Szyperski, “Component Software: Beyond Object-Oriented Programming” Addison-Wesley, 1998].



O que não é um componente?

Component isn't an object, not in sense of simply being an object in a Java or C++ program, although it is true at runtime.



Motivação - Agenda


- Componentes são para composição
- Componentes – *software* à medida versus *standard*
- Inevitabilidade dos componentes
- Natureza do *software* e entidades '*deployable*'
- Componentes são unidades de '*deployment*'
- O que o passado nos ensina

Do capítulo **1** do livro de C. Szyperski, "Component Software: Beyond Object-Oriented Programming".



Motivação para os componentes

- O desenvolvimento da WWW e *Internet*
 - Sistemas de serviços poucos coordenados
- Técnicas de projecto e linguagens Orientadas aos Objectos
- Movimento da computação baseada em *Mainframes* para computação do tipo Cliente-Servidor
- Ritmo rápido das mudanças tecnológicas
- Necessidades económicas de maximizar a reutilização




Componentes são para composição

- Componentes de *software* permitem a reutilização de partes. Composição permite que partes “pré-fabricadas” possam ser reutilizadas pela sua composição em novas partes compostas;
- A composição de componentes melhora a qualidade, permite uma maior rapidez de desenvolvimento e aumenta a flexibilidade;
- Espera-se que o *software* baseado em componentes seja o ‘paradigma’ do desenvolvimento de *software* nos próximos anos
- . . . mas é isto o que se tem dito desde 1968
- . . . no entanto, os recentes desenvolvimentos trazem uma renovada esperança.

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

7




Re-utilização de *Software*

- *Reutilizar* é um termo muito abrangente que cobre o conceito geral de um recurso reutilizável
- A reutilização pode acontecer em vários níveis de abstracção dos sistemas:
 - Padrão (*System Pattern*)
 - Especificação
 - Projecto
 - Codificação

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

8



Software baseado em componentes é um conceito novo?

- Subrotinas
 - Turing, 1949, *Checking a Large Routine*
- Programação estruturada
 - Dijkstra, 1968
- Bibliotecas (*Libraries*)
 - NAG, 1971
- Information Hiding
 - Parnas, 1972

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

9



Então o que é novo?

- Modularisation of software is *not* new;
- What we want of a component is that
 - It may be used by other program elements (*clients*)
(encapsulation and low coupling – good strategies for any modular design)
 - The clients and their authors do not need to be known to the component's authors

This is a little bit new, and only works if all the respective authors work to a common standard

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

10



Engenharia de componentes

- use of components is axiomatic in any mature engineering discipline;
- by analogy, should be in software engineering too;
- 1968: software crisis \Rightarrow software integrated circuits;
- sometimes said that software is too *flexible* for components;
- . . . but this just indicates immaturity in the discipline;
- claim: *software engineering now entering maturity.*

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

11



Componentes – software à medida versus standard

- one extreme: project from scratch, using only programming tools and libraries;
- optimally adapted, but expensive, technically suboptimal, usually late, and requires maintenance;
- hence major trend towards other extreme: project outsourced, COTS (*Component of the Shelf*) software bought and parameterized until close enough;
- may involve business reorganization, cannot confer any competitive advantage, slow to adapt to changing needs;
- component software is a 'third way': customized assembly of standard components; compromise between cost efficiency and flexibility.


2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

12

Componentes – software à medida versus standard

Espectro entre o fazer tudo e o comprar tudo



2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

13

Inevitabilidade dos componentes

- To speed up development process;
- To reduce development cost;
- However, compared with make-all systems, component-based systems may have some lost in flexibility and competitive edge if they are not well organised with most suitable components.

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

14

Inevitabilidade dos componentes

- technical superiority of component technology is not enough;
- *critical mass* also required: variety and quality, apparent benefit, strong or numerous sources;
- then use of components becomes inevitable, and proprietary solutions become unsustainable;
- if such a vortex is plausible, *preparedness* for an emerging component market is essential;
- preparation involves component-friendly (modular) approaches, which has its own advantages anyway.


2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

15

Natureza do software

- software components initially considered analogous to hardware components
 - software IC, software bus
- also analogy with hi-fi components, mechanical engineering (gears, nuts, bolts), Lego;
- but software is different: deliverable is not product, but *blueprint* for product
- software is a meta-product;
- computer is *factory*, instantiating blueprint;
- *by default, repeated instantiation is easy.*



2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

16




Entidades 'Deployable'

Definição

Entidades '**deployable**' :

São entidade de instalação e distribuição binária.


2005/2006 ADAV 17
Ambientes de Desenvolvimento Avançados



Entidades 'Deployable'

- as important to distinguish between software and instances as between plan and building;
- confusion between classes and objects;
- understandable: in software, both plan and building representable by same kind of thing (eg object, bits);
- plans can be parameterized, applied recursively, scaled, repeatedly instantiated, whereas instances cannot;
- software is a *generic metaproduct*;
- maths a good model of logical structure of software, but not of engineering and market aspects
- moral: software engineering is a blend of physical and logical engineering

2005/2006 ADAV 18
Ambientes de Desenvolvimento Avançados



Unidades de 'Deployment'

- software component is what is actually deployed in a component-based approach;
- objects are almost never bought, sold or deployed independently;
- unit of deployment is typically more static: class, or framework of classes;
- objects forming part of 'component instance' are instantiated from classes deployed within the component;
- thus components themselves are not normally instantiated; indeed, component may not have OO implementation at all;
- object technology is mostly used to construct monolithic applications, not components.

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

19



O que o passado nos ensina? (1/2)

- For many years, the most popular has been Microsoft's Visual Basic;
- Later the JAVA (Enterprise JavaBeans – EJB) and COM+;
- Oldest component success stories:
 - modern OSs (applications composed in environment, communicating via filestore or pipes)
 - plug-in architectures (eg Netscape Navigator, PhotoShop)
 - MacOS extensions, DOS TSRs

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

20

O que o passado nos ensina? (2/2)


- infrastructure providing *rich foundational functionality*
- components purchased from *independent providers*, *deployed by clients*, with *direct meaning to client*
- different roles for component *construction* and *assembly*
- large enough for reimplementations not to be cost effective
- multiple components from different sources coexist
- . . . but arbitrary combinations may conflict (composability need only be highly likely, not guaranteed)

2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

21

História do desenvolvimento do S/W




2005/2006

ADAV
Ambientes de Desenvolvimento Avançados

22

Evolução para os Componentes na Industria



Questões

